



© Przedsiębiorstwo Przemysłowo-Handlowe „STANDARD” sp. z o.o.

ul. Olszewskiego 10 20-481 LUBLIN POLAND
Tel. +48 81 7100 500 fax. +48 81 7100 505
NIP 712-015-28-51
E-mail: chemia@standard.pl website: www.standard.plNumber **19-010933**Issue date **07.05.2019**Publication **1**

Quality department

Certificate of Quality

Product name

L-ASCORBIC ACID E300

Formula

C₆H₈O₆

Type

For food industry

Delivery Lot

19-010933

Batch number(s)

1190150233;

Net weight

Packaging

Certificate used for

No.	Parameters	Unit	Guaranteed parameters	Results 1190150233
1.	Appearance	.	white or almost white, crystalline powder or colorless crystals	conforms
2.	Identification	.	soluble in water, insoluble in ethanol	conforms
3.	Solubility	.	soluble in water, slightly soluble in ethanol, insoluble in chloroform	conforms
4.	Melting point	°C	about 190	190
5.	Assay	%	99,0 - 100,5	99,6
6.	Specific rotation	°	+20,5 ~ +21,5	+21,1
7.	pH of 5% solution	.	2,1 - 2,6	2,4
8.	pH 2% solution	.	2,4 - 2,8	conforms
9.	Loss on drying	max %	0,1	conforms
10.	Residue on ignition	max %	0,1	<0,1
11.	Clarity of solution	.	clear	conforms
12.	Colour of solution	max .	BY7	< BY7
13.	Impurities	max %	0,3	<0,3
14.	Impurities C	max %	0,15	<0,15
15.	Impurities D	max %	0,15	<0,15
16.	Other impurities	max %	0,1	<0,1
17.	Total impurities	max %	0,2	<0,2
18.	Heavy metals	max ppm	10	<10
19.	Cu	max ppm	5	<5
20.	Fe	max ppm	2	<2
21.	Cd	max ppm	1	<1
22.	Hg	max ppm	1	<1
23.	Pb	max ppm	1	<1
24.	As	max ppm	1	<1
25.	Total plate count	max cfu/g	1000	<1000
26.	Yeast & Moulds	max cfu/g	100	<100
27.	E.Coli in 1g	.	absent	absent
28.	Salmonella in 25g	.	absent	absent
29.	Staphylococcus aureus w 25g	.	absent	absent
30.	Solvents residues	.	in conformity with a standard	conforms
31.	Norm	.	BP/USP/FCC/EP	BP/USP/FCC/EP
32.	Numer wg oznaczeń UE	.	E300	E300

Certificate is issued according to producer / supplier quality certificate 4.

Production date: 24.01.2019 (1190150233);

Best before end: 23.01.2022 (1190150233);

Prepared by	Confirmed
Anna Tarka (SD) date: 2019-05-07 	Beata Podgórska (SD) date: 2019-05-07 Kierownik Instytutu Kontroli Jakości 2 up. Beata Podgórska mgr Artur Paschke