



鲁维制药集团有限公司

Luwei Pharmaceutical Group Co.,Ltd.
Shuangfeng Industrial Park Zichuan District Zibo 255190 China
Tel: 0086 533 6220996 Fax: 0086 533 6220993

CERTIFICATE OF ANALYSIS

LWPC-2C1-23-05-026

Date: 12 JULY,2023

Product Name	ASCORBIC ACID	
Analysis Standard	BP/USP/EP/FCC/E300/EU 231 2012	
Batch No.	2230122024	
Quantity	18000kgs	
Manufacture Date	MAY 2023	
Expiry Date	APR 2026	
Shelf Life	3 Years	
Net/Gross Weight	25.0kgs/26.3kgs	
Analysis Contents	Analysis Standard	Analysis Results
Characteristics	White or almost White crystals Crystalline Powder	Pass
Identification	Positive Reaction	Positive
Melting Point	189°C-193°C	191.2°C
PH(5% solution in water)	2.1-2.6	2.36
PH(2% solution in water)	2.4-2.8	2.58
Clarity Of Solution	Clear	Clear
Colour Of Solution	≤BY ₇	<BY ₇
Copper	≤5ppm	<5ppm
Heavy Metals(as Pb)	≤10ppm	<10ppm
Mercury	≤0.1mg/kg	<0.1mg/kg
Lead	<2mg/kg	<2mg/kg
Arsenic	≤3ppm	<3ppm
Cadmium(Cd)	<1mg/kg	<1mg/kg
Oxalic Acid	≤0.2%	<0.2%
Iron	≤2ppm	<2ppm
Loss of Drying	≤0.4%	<0.4%
Related Substances	Impurity C	<0.15%
	Impurity D	<0.15%
	Unspecified impurities	<0.1%
	Total	<0.2%
Sulphate Ash(Residue On Ignition)	≤0.1%	<0.1%
Specific Optical Rotation	+20.5° - +21.5°	+21.11°
Organic Volatile Impurities	Pass	Pass
Assay	99.0%-100.5%	99.55%
Conclusion	The Above-Mentioned Product Conforms To BP/USP/EP/FCC/E300/EU 231 2012	

For and on behalf of
鲁维制药集团有限公司
LUWEI PHARMACEUTICAL GROUP CO., LTD.

Authorized Signature(s)

Approved by: Feng chuanxiao

Rechecker: Jia jinfeng

Tester: Wangmengxue